

Index

- Abitibi greenstone belt lithium pegmatites, Quebec, Canada 89
- Absorbant, adsorbent; lithium's use as an 83, 99, 176, 182, 197, 198, 200, 201
- Absorption of moisture by CaCl_2 346, 365, 370–372, 374–378, 432, 433
- Abundance of Li in the earth's crust 1, 97, 98
- Acid leach processes, lithium ores 59, 171, 172
- Acid roast process, spodumene ore 161–164, 169–172
- Activated carbon, use with lithium solutions 161, 170, 175
- Activity coefficients, lithium, CaCl_2 solutions 212, 420, 427, 430
- Adsorption, reaction; lithium on clays, rocks 3, 10, 18, 21, 34, 44
- Aerosols, sea water 306, 309, 310
- Afar Depression's thermal CaCl_2 springs, Ethiopia 276, 277, 291–298, 321
- Afghanistan's Hindukush Mountain lithium pegmatites 2, 56–57, 97
- African Rift Valley 322
- Africa's lithium pegmatites (excluding Bikita) 2, 3, 91–92, 169, 204
- Age of calcium chloride lakes 281, 285, 287, 291, 299
- Age of lithium brine deposits 8, 16–18, 27, 28, 33
- Age of lithium pegmatites 53, 60, 61, 68, 79, 83, 85, 90, 92
- Agricultural uses of CaCl_2 376–378
- Air conditioning; lithium's use in 99, 182, 197, 198, 201
- Air drying with CaCl_2 374
- Albite's conversion to chlorite 266, 267
- Alcohols as boron or lithium solvents 115, 116, 126–129, 136–140
- Al Hayat sector, Bikita petalite deposit 61–63, 65, 156, 157
- Alkali Lake (near Bristol Lake), California 284, 285
- Alkali metals' properties 211–214
- Allan potash mine's CaCl_2 brine, Saskatchewan, Canada 245, 246
- Altai Mountains lithium pegmatites, China, Russia 92, 95, 96
- Altmark gasfield's dolomitization brine, Germany 45, 265
- Alto Ligonha's lithium pegmatites, Mozambique 2, 91
- Alumina, aluminum hydroxide adsorption of lithium 5, 132, 140–144
- Aluminum; lithium's use in production, alloys 99, 182, 188–190, 196
- Amblygonite characteristics, deposits 4, 53, 58, 62, 67, 70, 73, 77, 78, 90–92, 94, 150, 154, 155, 168, 171
- Amboy, Amboy Crater, Bristol Lake, California 285, 352
- American Lithium Chemicals, San Antonio, Texas 99, 165
- American Potash and Chemical Co., Trona, California 58, 99, 133, 165, 203

- Amesite and chlorite's conversion by CaCl_2 268
- Ammonium chloride–lepidolite pressure leach process 167
- Analacite's conversion by CaCl_2 to hydrous glass 268
- Analyses, CaCl_2 products 384, 385, 430
- Analyses, lithium concentrates, products 170, 184, 187, 210
- Angara-Lena Basin's high-lithium, CaCl_2 brine, Russia 45, 142, 259, 318
- Anhydrite's solubility in CaCl_2 335
- Anorthite's conversion to albite, epidote, etc. 265, 267, 268
- Anorthite's solubility in CaCl_2 335
- Antarctica 294, 295, 298–311, 322, 383
- Antarcticite 237, 298, 300, 305, 311, 326
- Antimony–gold minerals with CaCl_2 occlusions 332
- Antofagasta, Chile 11, 109, 112, 114, 126, 132
- Apatite in lithium pegmatites 60, 73, 81, 96
- Apatite with CaCl_2 occlusions 333
- Apatite's reaction with CaCl_2 335
- Appalachian oil or gasfield CaCl_2 brines, groundwater 260, 265, 318
- Aracuai–Itinga lithium pegmatites, Brazil 2, 90
- Aragonite's reaction with CaCl_2 335
- Archambault–Oliver's spodumene CO_2 –pressure leach process 166
- Arcs: Aleutian, Central American, Kurile, Sunda; lithium in 45, 46
- Argentina's lithium pegmatites 2, 91
- Arkansas oil or gas field CaCl_2 brines 2, 45, 47, 136, 142, 262, 264, 267
- Arquena de Minerios e Metais Ltd, Brazil 91, 168
- Asal, CaCl_2 Lake, thermal springs, Ethiopia 270, 271, 291–295, 297, 298, 322
- Australia's lithium pegmatites 59–61
- Australia's Queensland CaCl_2 groundwater 314
- Austria's Koralpe spodumene deposit 2, 3, 92
- Avalon Ventures, Ontario, Canada 53, 87
- $\delta^{11}\text{B}$ 261, 264
- Bagdad Crater (Cinder Cone; Amboy Crater), Bristol Lake 285
- Ballasting tires with CaCl_2 brine 272
- Bangkog Cuo Lake, China, high-lithium brine 38, 39, 41
- Barite with CaCl_2 occlusions 332
- Barroso–Alvao and Guarda lithium pegmatites, Portugal 2, 3, 94, 95
- Basalt; leaching, adsorbing lithium; forming CaCl_2 by sea water 238, 268, 269, 273, 290, 311, 335
- Base exchange processes for lithium ores 161–164, 166, 169–171, 173, 174
- Batteries, lithium's use in 82, 99, 182, 190–195
- Beecher Lode spodumene pegmatite, South Dakota 84, 85, 166
- Belgium's Variscan Foreland CaCl_2 groundwater 315
- Bentonite, effect of CaCl_2 on 336, 337
- Bentonite, leaching lithium from 172
- Berea Formation CaCl_2 brine, Michigan Basin 252–254
- Bernic Lake lithium pegmatite, Manitoba, Canada 2, 3, 55, 56, 68–78, 150–155
- Beryl recovery from lithium pegmatites 53, 61, 62, 83, 90, 155
- Bessemer City, North Carolina 2, 81, 99, 163, 164
- Best Bet spodumene mine, Northwest Territories, Canada 90
- Big Mack petalite deposit, Ontario, Canada 54, 85–89
- Big Whopper petalite deposit, Ontario, Canada 53, 56, 85–88, 171
- Bihar, Rajasthan's lepidolite pegmatite, India 56, 94
- Bikita, Zimbabwe lithium pegmatite 2, 3, 52, 53, 56, 57, 61–68, 155–157, 165, 204
- Bikitaite 4, 62, 87
- Biotite, effect of CaCl_2 solutions on 336
- Bischoffite from high-lithium brines 110, 113, 124, 125

- Bischoffite deposits 321, 320, 327–329
 Bismuth minerals with CaCl_2 occlusions 334
 Black Hills lithium pegmatite district, South Dakota 56, 82–85, 166–169, 204
 Blasting lithium ore 146, 150, 155, 158
 Bleaches, sanitizers, lithium hypochlorite's use in 199
 Bob Ingersol lepidolite mine, South Dakota 83, 84
 Boiling points of CaCl_2 solutions 339, 350, 353–356, 424, 425, 430
 Bolivia's high-lithium salars and springs 27–29
 Bolivia's lithium pegmatites 91
 Bonneville Salt Flats high-lithium end liquor, Utah 28, 31, 32, 36, 37, 45
 Border zones in lithium pegmatites 52, 65, 66, 71
 Boric acid; lithium co- or by-product 110, 112, 118, 119, 124, 126
 Boron in calcium chloride brines, deposits 264, 265, 329
 Boron in lithium deposits 10, 18, 20, 21, 25, 27–29, 38, 52
 Boron extraction from high-lithium brines 115, 116, 126–130
 Bougouni area's lithium pegmatites, Mali 2, 92
 Brackish water containing CaCl_2 287, 346, 348, 350
 Brasileira de Litio 91, 168, 203
 Brazil's lithium pegmatites 2, 3, 56, 90, 91, 168, 204, 206
 Briner's grade CaCl_2 344, 373, 385
 Briquetting lithium carbonate 108, 116, 129
 Bristol Lake, California 33, 45, 283–290, 311, 341, 345–352
 Bromine in evaporating sea water, CaCl_2 brines 239, 241, 246, 252, 253, 260, 264, 274, 281, 321
 Bromine in tachyhydrite deposits 321, 329
 Bromine recovery from CaCl_2 brines 45, 264, 338–341
 Buck and Pegli lithium pegmatite, Manitoba, Canada 89
 Burial depth of lithium pegmatites as they formed 50, 52, 61, 83
 Butyl (or n-Butyl) lithium 99, 131, 177, 180, 183, 197
 $\delta^{13}\text{C}$ 261, 265, 315
 Cadiz Lake, California 33, 45, 283, 284, 286, 288, 290, 291, 345, 351
 Calcite with CaCl_2 occlusions 333
 Calcite reactions to form CaCl_2 259, 334
 Calcite's solubility in CaCl_2 334, 335
 Calcium chloride groundwater 256, 257, 272, 279, 287, 311–318, 346, 347
 Calcium Chloride Group, Bristol Lake, California 350
 Calcium chloride in mineral occlusions 238, 244, 259, 311, 321, 332–334
 Calcium chloride lakes 345–352
 Calcium chloride precipitation of sulfate from groundwater 113, 239, 249, 264, 265, 293, 321, 349
 Calcium chloride product specifications 288, 384, 385
 Calcium chloride's reactions with minerals 335–337
 California's oil or gas field CaCl_2 brines 260, 262
 California Salt Co., Bristol Lake, California 350
 Canada's calcium chloride brines 244–246, 251, 256, 314, 345
 Canada's lithium pegmatites 2, 3, 55, 56, 68–78, 85–90, 150–155, 165, 166, 169–171, 205, 206
 Canadian Shield's dolomitization brine 256, 314
 Canals for CaCl_2 brine 246, 347
 Carbon dioxide with lithium or CaCl_2 deposits 49, 83, 96, 311
 Carbon dioxide–pressure leach process for spodumene 166
 Cargil Co., Bristol Lake, California 351
 Carlsbad, New Mexico potash deposits, brine 239–241, 244, 259
 Carnallite decomposition brine 237, 238
 Carnallite deposits 237–239, 320–331

- Carnallite from high-lithium brines 110, 113, 124
- Carpathian potash deposit's dolomitization brine, Russia 136, 258
- Cascade Range's thermal CaCl_2 springs, Washington 276
- Caspian Depression's dolomitization brine, Russia 258
- Cassiterite in lithium pegmatites 53, 74, 76, 79, 83, 90, 91, 148, 155, 171
- Catal Lagoon, Salar de Hombre Muerto, Argentina 22, 24, 25
- Catalyst, lithium's use as a 99, 197, 199
- Catamarca Province's lithium pegmatites, Argentina 2, 91
- Cat Lake-Winnipeg River lithium pegmatite area, Manitoba, Canada 68, 85, 89
- Caucasus region's CaCl_2 groundwater, Russia 312, 313, 318
- Caustic soda by-product, lithium ore lime-roasting process 159, 160, 165, 171
- Celestite production at Bristol Lake 287, 289
- Cementing well casings with CaCl_2 cement 369
- Ceramics, lithium's use in 99, 182, 185, 187, 188
- Cerro Prieto geothermal, solar pond brine, Mexico 14, 15, 37, 274, 275, 279
- Cesano's medium-lithium geothermal brine, Italy 42, 44, 141
- Cesium or pollucite recovery from lithium pegmatites 69, 83, 92, 150, 152, 154, 155, 165, 168
- Chabazite's solubility in CaCl_2 335
- Cheleken, Turkmenia CaCl_2 hot springs 277
- Chemetall GmbH 75, 99, 101, 111, 112, 114, 115, 157, 160, 174, 201, 203
- Chemicals from CaCl_2 374, 377
- Chemicals, lithium 174–179
- Chepica del Salar, Salar de Atacama, Chile 111, 112, 114
- Cherryville spodumene mine, North Carolina 163
- Chile's high-lithium playas, salars 10–21, 108–130
- Chilled rolls for flaked CaCl_2 350, 352
- China's high-lithium brines 38–43, 135
- China's lithium pegmatites 2, 3, 56, 92, 93, 203–205
- Chita Oblast's lithium pegmatites, Urals, Russia 94
- Cia Brasileira de Litio 91, 203, 204
- Clay, high-lithium 97, 98, 172, 173
- Clay, impervious for solar ponds 100, 101, 106, 110, 111, 337
- Clay minerals, effect of CaCl_2 on 336, 337, 369
- Clayton Valley, Nevada 2, 3, 5–10, 21, 99, 101–108, 201, 203
- Clinoptillite, effect of CaCl_2 solutions on 335
- Columbite in lithium pegmatites 79, 83, 89, 91
- Coagulation of sediments, products with CaCl_2 337, 369, 373–376, 378
- Coastal CaCl_2 aquifers 238, 247, 273, 276, 312, 313, 315–317
- Coastal sabkhas, brine pools' dolomitization brine 238, 247, 258
- Commercial CaCl_2 's properties 289, 384, 385
- Companhia Brasileira do Litio 91, 168, 203
- Concrete, CaCl_2 's use in 359, 360, 368, 369, 377
- Concrete's corrosion by CaCl_2 , 362, 364, 365, 368, 369
- Congo's tachyhydrite deposit 318–320, 327–329
- Consumption statistics for CaCl_2 , U.S. 381
- Copper minerals with CaCl_2 occlusions 333, 334
- Cordillera de Domeyko, Salar de Atacama, Chile 10, 13, 17, 20
- Cordillera de la Sal, Salar de Atacama, Chile 10, 13, 16, 17, 20, 21
- Core zones in lithium pegmatites 52, 65
- CORFO, Corporacion de Fomento de la Production, Chile 108, 110, 112, 118

- Corrosion inhibitors for CaCl_2 brines or solids 346, 354, 358, 362–365, 384
- Cory potash mine's CaCl_2 brine, Saskatoon, Canada 245, 246, 345
- Costa Rica Rift vents 44, 46
- Cost of CaCl_2 381, 382
- Covas de Barroso spodumene pegmatites, Portugal 56, 57, 94, 95
- Crimean Steppe's CaCl_2 groundwater, Russia 318
- Cronembourg's high-lithium geothermal brine, France 42, 44, 141
- Cyprus Foote Minerals 75, 102, 201
- Cyprus Ophiolite Formation's CaCl_2 groundwater 315
- Czechoslovakia's lithium pegmatites 2, 97
- δD 15, 37, 245, 246, 251, 253, 256, 280, 299, 301–303, 331
- Dabuxun Saline Lake, China 135, 279
- Dale Lake (near Bristol Lake), California 284, 289
- Dalol Salt Pan, Ethiopia 291–295
- Danakil Depression, Ethiopia 273, 276, 277, 291–298
- Danby Lake, California 33, 283, 284, 289, 291
- Da Qaidam Lake, China 38, 40, 41, 135, 279
- Dead Sea, Israel, Jordan 2, 31, 32, 37, 38, 45, 142, 143, 145, 278, 281–283, 312, 313
- Dead Sea's thermal CaCl_2 springs 270, 271, 278
- Deep ocean vent brine's $\delta^6\text{Li}$, $\delta^7\text{Li}$ 46
- Deicing with CaCl_2 358–365
- Delta Chemical Co., Cadiz Lake, California 352
- Density of CaCl_2 solutions 308, 346, 347, 383, 393, 408–411, 430, 432–434
- Density of CaCl_2 – NaCl solutions 339, 412–418
- Density of lithium, its minerals and solutions 43, 54, 58, 59, 167, 211, 214, 217, 218
- Density vs temperature, Salar de Atacama brine 130
- Depth of lithium pegmatites when formed 50–52, 61, 83
- Desert Properties Co., Bristol Lake, California 350
- Detroit River Formation's CaCl_2 brine, Michigan 248, 253–255, 342
- Deuterium 37, 245, 246, 251, 253, 256, 280, 299, 301–303, 331
- Disk granulators for CaCl_2 356
- Dnieper–Donets Basin's CaCl_2 brine, Russia 258
- Dolerite, fractured, Antarctica 305–310
- Dolime, slaked (magnesium precipitant) 341
- Dolomitization reaction, brines 37, 45, 238–264, 266, 269, 272, 273, 289, 310, 311
- Don Juan Pond, Antarctica 45, 283, 294, 295, 298, 300–303, 305–311, 322, 333
- Double Lakes area CaCl_2 brine, Texas 312, 314
- Dow Chemical Company 338–345, 383
- Dredging lithium solar ponds 104, 106
- Drilling mud, CaCl_2 's use in 269
- Drugs, lithium's use in 180, 199
- Drum granulator for CaCl_2 356
- Dryers for CaCl_2 solids 350, 353–357
- Drying agent, CaCl_2 as a 370–378
- Dundee Formation's CaCl_2 brine, Michigan Basin 252–254, 342
- Dust control with CaCl_2 365–367
- Dust reduction in solid CaCl_2 products 355, 356
- East Pacific Rise vents 42, 269, 270, 272
- Edison spodumene mine, South Dakota 84, 166
- Electric conductance, CaCl_2 solutions 420, 427
- El Tatio geyser field, Chile 10, 14, 17, 18, 20, 44
- Emerald Fields Resources Corp., Canada 54, 87
- England's CaCl_2 groundwater 45, 256, 277, 312, 315
- England's oil or gas field CaCl_2 brines 260

- English River lithium pegmatites, Ontario, Canada 85–87
- English Zeichstein Formation 45, 256, 277, 315
- Enthalpy, CaCl_2 solutions 427, 431
- Entrained brine in solar pond salts 100–102, 120, 124, 125
- Environmental factors, deicing CaCl_2 361–365
- Environmental uses of CaCl_2 375
- Epidote conversion to chlorite 267
- Etta spodumene mine, Black Hills, South Dakota 55, 83, 84
- Eucryptite 4, 50, 51, 53, 56, 57, 59, 62, 67, 69, 73, 78, 87, 94, 157
- Europe's lithium pegmatites 2, 92, 93
- Evaporation plants for CaCl_2 brine 339–341, 350–353, 355, 357
- Evaporation plants for lithium brines 5, 34, 36, 133, 134, 146, 159–162, 165, 167, 170–172
- Evaporation rates at CaCl_2 lakes 287, 306, 321, 322, 347
- Evaporation rates at high-lithium playas 8, 25, 29, 100, 102, 108, 110, 113
- Fault zones with CaCl_2 occlusions 333
- Feldspar conversion to albite 264, 266–268, 310
- Feldspar recovery from lithium pegmatites 53, 83, 149, 153, 157, 167, 171
- Ferrar dolerite, Antarctica 305–310
- Ferric chloride–lithium chloride complex 36, 139, 160
- Filer Formation CaCl_2 brine, Michigan Basin 249, 251, 252, 339, 341, 342
- Finland's lithium pegmatites 92
- Fire clay, high-lithium, alumina 97
- Flaked calcium chloride 343, 344, 350, 352–354, 384, 385
- Flint clay, high-lithium 98
- Flocculation of clay with CaCl_2 336, 337, 365, 367, 369, 378
- Flotation of lithium ores 53, 83, 91, 121, 133, 134, 148, 149, 157–159, 163, 165, 167–171
- Fluidized bed dryer-granulator for CaCl_2 355
- Fluorine-containing lithium pegmatites 92, 96, 167
- Fluorite with CaCl_2 occlusions 332, 333
- Fluorite solubility in CaCl_2 335
- FMC Corp. 81, 99, 131, 160, 164, 201, 203
- Food processing with CaCl_2 344, 373, 374, 385
- Foote Minerals Co. 34, 75, 79, 99, 101, 108, 112, 160, 163, 164, 201, 203
- Formation pressure, temperature, lithium pegmatites 50–52, 61, 83, 96
- Fractional crystallization, high-lithium magma 49–53
- France's lithium pegmatites 2, 92
- Freeze–thaw deterioration of concrete by CaCl_2 364, 365
- Freezing points of CaCl_2 solutions 358, 361, 383, 385, 386, 388–398, 402–406, 410, 434
- French medium-lithium geothermal brines 42, 44, 141
- Fresh water fossils, CaCl_2 deposits 291, 320, 327, 328
- Fresno, California oil or gas field CaCl_2 brines 260
- Galapagos Spreading Center vents 270, 272
- Garnet as a lithium by-product 171
- Garnet with CaCl_2 occlusions 335
- Gas drying with CaCl_2 370–372, 374, 375
- General Chemicals Group 344, 383
- German CaCl_2 groundwater, thermal springs 256, 257, 277, 279
- German oil or gas field CaCl_2 brines 45, 260, 265
- German Zechstein Formation potash deposits 256, 257
- Glaserite from high-lithium brines 104
- Glass inclusions in Olivine's $\delta^7\text{Li}$ 46
- Glass, lithium's use in 99, 181–185
- Glauberite, formed with CaCl_2 239, 255, 290

- Glazes and enamels, lithium's use in 185, 187, 188
- Gold deposits with CaCl_2 occlusions 333
- Golmud River (with CaCl_2), Qarhan Salt Lake, China 279, 298
- Goubet el Kharab, Ethiopia 292, 297
- Govindpal area's lithium pegmatites, India 2, 94
- Granite with CaCl_2 occlusions 333
- Granular CaCl_2 343, 355–357, 384, 385
- Granular lithium carbonate 108, 116, 129
- Grease, lithium's use in 83, 99, 182, 196
- Great Basin lakes' $\delta^7\text{Li}$ 46
- Great Salt Lake's CaCl_2 thermal springs, Utah 271, 276
- Great Salt Lake's high-lithium brine, Utah 2, 21, 31, 32, 35–37, 45, 46, 112, 137, 139, 140, 146
- Greece's Filiatra CaCl_2 groundwater 315
- Greenbushes' spodumene pegmatite, Australia 59–61, 146–150, 203
- Greenstone with CaCl_2 occlusions 333
- Groundwater with calcium chloride 256, 257, 272, 279, 287, 311–318, 346, 347
- Groundwater with medium-to-high lithium 45, 142, 259, 312, 313, 318
- Guarda area's lithium pegmatites, Portugal 2, 3, 56, 94, 95, 168, 169, 204
- Guemes, Salta province, Argentina 132
- Guilietti's Lake, thermal springs, Ethiopia 271, 291–296
- Gulf of California rift-fault system 280
- Gulf of Mexico oil or gas field CaCl_2 brines 260, 261, 264
- Gulf of Tadjoura, Ethiopia 291, 292, 297
- Guogaling Cuo Lake, China 39
- Gwalia Consolidated Ltd. 59, 146, 203
- Gypsum with CaCl_2 or lithium lakes, brine 287, 290, 298, 299
- Gypsum solubility in CaCl_2 brine 353
- Halite with CaCl_2 occlusions 244, 321, 332, 333
- Hallman-Beam spodumene mine, North Carolina 81
- Hand sorting lithium ores 53, 66, 83, 155–157
- Harding and Pidlite lithium mine, New Mexico 55, 85
- Hardness of lithium minerals 54, 58, 59, 150, 158
- Harvesting salts 100, 104, 107, 113, 120, 121, 123–125, 347, 349
- Harz Mountains CaCl_2 springs, Germany 277
- Hatchobaru and Kyshu's geothermal brine, Japan 42
- Heat evolved in dissolving solid CaCl_2 358, 362, 427, 429, 430
- Heat of dilution, strong CaCl_2 solutions 358, 427, 429, 430
- Heavy media separation 152, 153, 157, 158, 163, 166, 167
- Hectorite 4, 10, 97, 98
- Heletz–Kokhav oilfield dolomitization brine, Israel 265
- Hiddenite 54
- High- CaCl_2 groundwater 311–318
- High- CaCl_2 lakes 281–311, 345–352
- High-intensity magnetic separators 148, 149, 153, 154
- High-iron spodumene 54, 55, 75, 159, 160
- High-lithium clay 97, 98, 172, 173
- High-lithium groundwater 45, 142, 259, 318
- High-sulfate Salar de Atacama brine 20, 21, 114, 118
- Hill Brothers Chemical Co. 350, 352, 383
- Hindukush Mountain Range's lithium pegmatites, Afganistan 2, 56, 57, 97
- History of the lithium industry 98, 99
- Holding ponds for CaCl_2 brine 347, 350
- Homogenization temperature of occlusions 332–334
- Humates (organics) in brine, lithium salts 134, 135
- Humectant, CaCl_2 's use as a 378
- Humidity at CaCl_2 lakes 287, 306, 321, 346, 352, 422
- Humidity at high-lithium lakes 100, 108, 113

- Hydraulic seal for solar ponds 100
 Hydrochloric acid's use to form CaCl_2 311, 357
 Hydrogen bombs, ^6Li conversion to tritium 99, 165
 Hydrogen sulfide 42, 259, 271, 299, 303, 304, 311
 Iceland's CaCl_2 thermal springs 270, 272, 321
 Illinois Basin dolomitization brine 259
 Inclusions containing CaCl_2 238, 244, 259, 311, 321, 332–334
 Inclusions in lithium pegmatites 52, 83, 96
 Index of refraction, CaCl_2 solutions 410
 India's Ennur CaCl_2 groundwater 315, 317
 India's lithium pegmatites 2, 56, 94
 Indonesian thermal CaCl_2 vents 269
 Industrial uses of CaCl_2 359, 374, 375
 Industrial uses of lithium 196, 197, 200
 Intermediate zones in lithium pegmatites 52, 65, 66, 71
 Intermetmin Ltd., Namibia 169
 Iodine in brines 239, 252, 253, 260, 264, 272
 Iodine recovery 264, 339
 Ion exchange extraction of lithium 138, 141, 172
 Ion exchange of soils with CaCl_2 336, 337
 Ion exchange to form CaCl_2 238, 268, 290, 311, 314, 315, 318
 Ionization constants of CaCl_2 solutions 427
 Irkutsk's potash dolomitization brine, Russia 242, 259
 Ishibu-Iwachi CaCl_2 hot springs, Japan 276, 277
 Isotopes of lithium 34, 44–46, 98, 99, 165, 200, 256, 265
 Israel's CaCl_2 groundwater 312, 316, 317
 Israel's oil or gas field CaCl_2 brines 46, 260, 265, 312, 313, 317
 Israel's thermal CaCl_2 springs 270, 277, 278, 282, 283, 317
 Italy's high-lithium geothermal brines 42, 44, 141
 Japan's thermal CaCl_2 springs 276, 277, 321
 Jordan Rift Valley 381
 Jordan River 278, 282, 283
 Juan de Fuca Ridge vents 42
 Kainite from high-lithium brine 110
 Kama River area's dolomitization brine, Russia 259
 Kansas oil or gas field CaCl_2 brines 262
 Kaolin in weathered lithium pegmatites 54, 59, 91
 Kaolinite conversion to illite 255
 Kaolinite, effect of CaCl_2 solutions on 337
 Karibib-Omaruru districts' lithium pegmatites, Namibia 2, 91, 169
 Kazakhstan's CaCl_2 lakes 294, 295, 298
 Kentucky's oil or gas field CaCl_2 brines 262
 Kerosene drying with CaCl_2 370, 373
 Keystone district lithium pegmatites, Black Hills, South Dakota 82
 K-Feldspar recovery from lithium ores 53, 83, 149, 153, 167, 171, 177
 Kiao Qaidam Lake, China 40
 Kings Mountain lithium pegmatites, North Carolina 2, 3, 55, 79, 81, 99, 159, 160, 163
 Kirgiztan's lithium pegmatites 97
 Kokhav oil field, Israel 265
 Koktokay lithium pegmatite, Xinjiang–Uygur province, China 2, 92
 Kola Peninsula's lithium pegmatites, Russia 2, 96
 Komuni CaCl_2 hot springs, Japan 276
 Koralpe lithium pegmatite, Austria 2, 92
 Kunzite 54, 82
 $\delta^6\text{Li}$, $\delta^7\text{Li}$ 34, 44–46, 98, 99, 165, 200, 256, 260, 265
 Lago Co Lake, China 38, 41
 Lake Adijdata, Ethiopia 47
 Lake Asal, Ethiopia 270, 271, 291–295, 297, 298, 322
 Lake Bonney, Antarctica 299, 300, 302, 309, 310
 Lake Giulietti, Ethiopia 271, 291–296, 322
 Lakes, high- CaCl_2 281–311, 345–352
 Lakes, high-lithium 5–43, 101–135, 288

- Lake Tiberias thermal CaCl_2 springs, Israel
 270, 271, 278, 281–283
 Lake Vanda, Antarctica 45, 294, 298–311
 La Motte spodumene pegmatite, Quebec 89,
 179, 203
 La Negra, Salar de Carmen, Chile 112, 114,
 115
 Lanigan potash mine CaCl_2 brine 246
 Lava flow, Bristol Lake, California 285
 Leaching CaCl_2 from rocks 238, 239, 251,
 255, 264–269, 289, 318, 321, 334
 Leaching lithium from rocks 1, 3, 5, 10, 21,
 42, 43, 52
 Lead–zinc deposits formed by thermal
 vents 269, 273, 277
 Lead zinc minerals with CaCl_2 occlusions
 333, 334
 Leakage in solar ponds 100–102, 106, 110,
 113
 Lee Chemical Co., Cadiz Lake, California
 351, 352, 383
 Lepidolite deposits 53, 61–75, 82, 83, 89,
 91–94, 96
 Lepidolite processing 53, 155–157, 165,
 167, 168
 Lepidolite's properties 4, 56, 58, 67, 78
 Leslie Salt Co., Bristol Lake, California 350
 Licons (dilithium phosphate) 56, 133–135,
 203, 204
 Lime or limestone roast of lithium ores
 157–160, 165, 167, 168, 171
 Lime precipitation, CaCl_2 brine 338–341,
 344
 Lime precipitation, lithium brine 102–104,
 106, 107, 116, 117, 127, 129, 161,
 162, 164, 170
 Limestone–HCl reaction to form CaCl_2
 311, 357
 Liners (membranes) for solar ponds 101,
 106, 113, 118, 123
 Liquid CaCl_2 specifications 384, 385
 Liquid extraction of lithium brines 115, 116,
 126–130, 136–140
 LithChem International 173, 179
 Lithian muscovite, mica 71–73, 75, 78, 89,
 93
 Lithiophilite 4, 78, 79, 154
 Lithium adsorption, reaction with rocks 3,
 10, 18, 21, 34, 44
 Lithium alkyls 99, 177, 196, 197, 199
 Lithium aluminum hydride 177
 Lithium amide 176, 177
 Lithium, average content in rocks 1, 97, 98
 Lithium batteries 82, 99, 182, 190–195
 Lithium bromide 176, 183, 197, 198
 Lithium carbonate production 34, 107, 108,
 110, 114–117, 126–131, 134, 135,
 149, 159–173, 177, 182
 Lithium carbonate specifications, analyses
 170, 210
 Lithium carbonate's solubility 108, 134,
 135, 212–216
 Lithium carnallite from high-lithium brines
 110, 113
 Lithium chloride 116, 131, 132, 171, 176,
 183, 197, 210
 Lithium Corporation of America (LCA or
 Lithco) 81, 99, 160, 162, 163, 201
 Lithium hydride 83, 176, 200
 Lithium hydroxide production 99, 108, 129,
 159, 160, 165, 171, 175, 176, 182
 Lithium ion rechargeable batteries 191,
 193–195
 Lithium isotopes 34, 44–46, 98, 99, 165,
 200, 256, 260, 265
 Lithium leaching from rocks 1, 3, 5, 10, 42,
 43, 52
 Lithium loss during boron extraction 115,
 116, 129, 130
 Lithium metal 98, 160, 177–179, 180, 183,
 188–190, 192–196, 211, 212
 Lithium Metals Technologies, Inc.
 (Limtech) 177
 Lithium phosphate precipitation 34,
 133–135, 143, 145
 Lithium polymer batteries 191, 193–195
 Lithium potassium sulfate from
 high-lithium brine 104, 110
 Lithium recovery from batteries 173, 174
 Lithium's average content in rocks 1, 79, 78
 Lithium sulfate 110, 126, 134, 135,
 161–165, 171–173

- Lithium's use as a catalyst 99, 197, 199
 Lithium's uses 83, 99, 180–201
 Longview-Beecher lithium pegmatite, South Dakota 84, 166
 Lorraine Basin's dolomitization brine, France 257
 Los Patos River, Salar de Hombre Muerto, Argentina 22, 24
 Louisiana oil or gas field CaCl_2 brines 261
 Low-sulfate Salar de Atacama brine 20, 113, 118, 124
 Ludington, Michigan 339, 344, 345
- Magma flow to form lithium pegmatites 1, 47–54, 60, 61, 68, 69, 82, 96
 Magmatic fluid 1, 37, 50–52, 238, 280, 322, 389
 Magnesium chloride brine, solid 110, 124, 239–250, 289, 299, 310, 338–341, 344
 Magnesium Corporation of America 383
 Magnesium precipitation from CaCl_2 brine 338–341, 344
 Magnesium precipitation from high-lithium brine 102–104, 106, 107, 116, 117, 127, 129, 161, 162, 164, 170
 Magnesium sulfate from lithium brines 110, 126, 145
 Magnetic separation 148, 149, 152–154, 156
 Mahai Lake, China 38, 40
 Mali's lithium pegmatites 2, 3, 92
 Manganese oxide, lithium adsorbent 144, 145
 Manic depression, lithium's use in treating 180, 199
 Manitoba, Canada's lithium pegmatites 56, 68–78, 85, 89, 90
 Manono and Kitotolo lithium pegmatite districts, Zaire 91
 Manteen lithium pegmatite, South Dakota 84, 166
 Map, world; location of some lithium deposits 2
 Marine carbonates' $\delta^6\text{Li}$ 46
 Marine clastic sediments' $\delta^6\text{Li}$, $\delta^7\text{Li}$ 46
 Marine fossils; CaCl_2 deposits 290, 291, 322
- Marshall Formation CaCl_2 brine, Michigan Basin 252, 254, 338
 Martin Marietta Magnesia Specialties Co. 344
 Massif Central's lithium pegmatites, France 2, 92
 Matsushiro area's CaCl_2 thermal springs, Japan 277
 Maywood Chemical Co. 83, 99
 Medicine, lithium's use in 177, 180, 199
 Melting temperature of lithium and alkali metals 211
 Melting temperatures of lithium minerals 50–52, 149, 181, 185
 Melting temperature of occlusions 332–334
 Membranes for lithium extraction 138, 145
 Membrane liners for solar ponds 101, 106, 113, 118, 123
 Metabasalt's $\delta^6\text{Li}$ 46
 Metal deposits formed by CaCl_2 thermal vents 269, 273, 276, 277, 291, 298
 Metalloy Corp. 160
 Metallurgical uses of CaCl_2 375, 377
 Metallurgy, lithium's use in 179, 188–190, 196, 200
 Meteoric water, reaction with CaCl_2 brine 113, 239, 249, 264, 265, 293, 321, 349
 Meteorites' $\delta^6\text{Li}$, $\delta^7\text{Li}$ 46
 Methane with CaCl_2 or lithium deposits 42, 49
 Mica recovery from lithium ore 53, 83, 153, 154, 167, 171
 Mica's reaction with CaCl_2 335
 Michigan Basin 45, 141, 247–255, 259, 338–345
 Michigan's oil or gas field CaCl_2 brines 260, 261, 264
 Microlite recovered from lithium pegmatites 53, 61, 83
 Mid Ocean (Atlantic) Ridge thermal vents 46, 270, 273
 Mid Ocean Ridge basalt's $\delta^6\text{Li}$, $\delta^7\text{Li}$ 45, 46
 Migmatites with CaCl_2 occlusions 334
 Minas Gerais province's lithium pegmatites, Brazil 2, 90
 Minera de Pegmatite, Portugal 169

- Mineral deposits with CaCl_2 occlusions 238, 244, 259, 311, 321, 332–334
- Minerals, lithium 1, 4, 54–59, 67, 73, 74, 76–78
- Minerex, Austria 92
- Minsal (now SQM S.A.) 118, 210
- Mirabilite, thenardite near CaCl_2 lakes 306, 309, 310, 314
- Molybdenite in lithium pegmatites 89
- Molybdenum minerals with CaCl_2 occlusions 334
- Mono Lake, rivers' lithium isotopes, California 33, 34, 46
- Montmorillonite ($\text{Na}-$), effect of CaCl_2 solutions on 336, 337
- Moose No. 2 spodumene mine, Northwest Territories, Canada 90
- Montebrasite 4, 56, 58, 78, 94, 154
- Mount Sdom CaCl_2 Springs, Dead Sea, Israel 278, 312, 313, 383
- Mozambique's lithium pegmatites 91, 206
- Mullet Island CaCl_2 brine, Salton Sea, California 280, 281
- Namib Desert's CaCl_2 groundwater, Namibia 312, 317
- Namibia's CaCl_2 lakes 294, 312, 317
- Namibia's lithium pegmatites 2, 3, 91, 169, 204–206
- Nakai Trough 44
- National Chloride Company of America 346, 350, 352, 383
- Natrolite's solubility in CaCl_2 335
- n-Butyl lithium 99, 131, 177, 180, 183, 197
- Niagra limestone CaCl_2 brine, Michigan 252, 254
- Nickel–copper–platinum minerals with CaCl_2 occlusions 334
- Niobium in lithium pegmatites 59, 92, 167
- Non-rechargeable lithium batteries 194, 195
- Non-zoned lithium pegmatites 50, 53, 55, 75, 80, 81, 89, 94
- North Afar Rift thermal CaCl_2 springs, Ethiopia 273, 276, 277, 292, 293, 297, 298, 321
- North Carolina's lithium pegmatites 53, 75, 79–82, 157–165, 203
- North Dakota's oil or gas field CaCl_2 brines 45, 261
- North Fiji Basin vents 42
- North Korea's lithium pegmatites 169
- Northwest Territories' CaCl_2 groundwater, Canada 314, 315
- Northwest Territories' lithium pegmatites, Canada 2, 90
- Norwegian–Danish Basin's Zechstein brine 243
- Noumas, Norrabees areas' lithium pegmatites, South Africa 2, 92
- Nuristan, Afghanistan's spodumene pegmatite 2, 56, 57, 97
- $\delta^{18}\text{O}$ 15, 37, 245, 246, 251, 253, 261, 265, 280, 299, 301, 302, 315, 331
- Ocean rift or subduction zones 1, 42, 44, 45, 238, 247, 266–277
- Occlusions containing CaCl_2 238, 244, 259, 311, 321, 332–334
- Occlusions in lithium minerals 52, 83, 96
- Ohio's oil or gas field CaCl_2 brines 262
- Oil or gas field's lithium, CaCl_2 brines 45, 46, 238, 247, 260–266
- Oil and gas industries' use of CaCl_2 359, 369–373
- Oklahoma's oil or gas field CaCl_2 brines 260, 262
- Ontario and Quebec, Canada's lithium pegmatites 23, 89, 90, 99
- Onyx River, Lake Vanda, Antarctica 299, 303
- Open pan evaporators for CaCl_2 brine 350, 352, 353
- Open pit mining 90, 92, 106, 115, 155–159, 163, 166
- Ophiolite's reaction with CaCl_2 335
- Organic lithium compounds (other than butyl lithium) 177, 196, 197, 199
- Organics in lithium, CaCl_2 brines 115, 116, 134, 135, 161, 170, 175, 261, 311
- Origin of high-lithium brines 8, 9, 17–21, 29–34, 37, 38

- Origin of lithium pegmatites 49–52, 60, 61, 68, 69
- Origin of tachyhydrite 321, 322
- Orinoco River sediments' $\delta^6\text{Li}$ 46
- Osmolality, CaCl_2 solutions 410
- Othake, Kyushu, Japan's geothermal brines 42
- Owens River, Lake, California 29, 33, 34
- Pacific Lithium Ltd. 135, 173, 203
- Pala District's lithium pegmatites, California 55, 82
- Pakeagama Lake spodumene pegmatite, Ontario, Canada 89
- Pan de Azucar rail station, Chile 109, 114
- Paradox Basin, Colorado 14, 45, 243, 244, 248, 250, 263
- Paris Basin's dolomitization brine, France 257
- Parma Formation CaCl_2 brine, Michigan Basin 252, 254
- Pastos Grandes Salar, Bolivia 23
- Pelletized calcium chloride 343, 384, 385
- Pelletized lithium carbonate 108, 116, 129
- Pennsylvania's oil or gas field CaCl_2 brines 262
- Permeability of soils, effect of CaCl_2 on 337
- Petalite deposits 53, 61–68, 85–89, 150–157, 204
- Petalite characteristics 4, 56, 58, 67, 68, 78
- Petalite conversion to spodumene or eucriptite and quartz 50–52, 58, 69, 94
- Petalite processing 53, 152–157, 168, 169, 171
- PGE mineralization with CaCl_2 occlusions 334
- Phase data for CaCl_2 322, 382, 383, 385–407
- Phase data for lithium compounds 134–136, 143, 172, 202, 206, 212, 214–223
- pH of commercial CaCl_2 solutions 341, 346, 432, 434
- Phosphate precipitation of lithium 133–135, 143, 145
- Physical properties of CaCl_2 solutions 408–435
- Physical properties of CaCl_2 – NaCl solutions 412–417, 425, 429, 430, 433, 434
- Physical properties of lithium and its compounds 34, 44, 46, 50–52, 181, 185, 200, 202, 206, 211, 212, 214
- Physical properties of solid CaCl_2 426, 435
- Pits, trenches for CaCl_2 brine seepage, Bristol Lake 346, 347, 349
- Plagioclase conversion to albite 264, 265, 267, 268, 310, 311
- Plagioclase's reaction with CaCl_2 266, 268, 335
- Platinum minerals with CaCl_2 occlusions 334
- Podlasie Basin gasfield's dolomitization brine, Poland 265
- Pollucite recovery from lithium pegmatites 62, 67, 68, 72, 83, 152, 154, 155
- Polyhalite reaction to produce calcium chloride 239, 255
- Polyolithionite 4, 58
- Portugal's lithium pegmatites 2, 3, 56, 94, 95, 168, 169, 204–206
- Potash (potassium chloride) deposits 320–331, 339
- Potash end liquor lithium, CaCl_2 brine 35–37, 45, 46, 112, 124, 137–139, 141–143, 145, 237–259, 263, 311–318
- Potash from lithium brines 104, 110, 112–114, 118–124, 135
- Potassium carbonate, lithium by-product 165, 166
- Potassium lithium sulfate from high-lithium brines 110
- Potassium schoenite from high-lithium brines 112, 124–126
- Potassium sulfate, lithium by-product 110, 112, 118, 119, 124–126
- Prairie Evaporate Formation, Canada 251, 256
- Precipitation of metals from ocean vents 269, 273, 276, 277, 291
- Preissac-Lacorne district's lithium pegmatites, Ontario, Canada 2, 89

- Presquile gas field dolomitization brine, BC, Canada 265
- Pressure, temperature of initial lithium pegmatites 50–52, 61, 83, 96
- Pre-wetted salt with CaCl_2 361, 362
- Prilling tower for granular CaCl_2 355
- Primary spodumene 50–52, 54, 55, 59, 61, 75, 81, 83, 89–97
- Pripyat Trough (or Deep's) CaCl_2 brine, Russia 242, 244, 259
- Production capacity; lithium carbonate, ore concentrates 203, 204
- Production capacity of natural CaCl_2 383
- Production rate of lithium (by country) 205, 206
- Production statistics for CaCl_2 379–382
- Product ponds for CaCl_2 brine 350, 351
- Product specifications for CaCl_2 384, 385
- Product specifications for lithium carbonate, ore concentrates 149, 210, 211
- Properties of lithium metal, compounds, alkali metals 54–59, 211, 212
- Protolithionite 58
- Puga Valley's high-lithium geothermal brine, India 44
- Pug mill granulator for CaCl_2 356
- Pumping CaCl_2 brine 339, 342, 344, 346, 348, 350
- Pumping high-lithium brine 16, 102–107, 113, 118, 123
- Purification of CaCl_2 brine 353, 357
- Purification of high-lithium brine 107, 115, 116, 126–129, 134, 161, 164–166, 168, 170–173
- Purified lithium carbonate 177
- Qaidam Basin, Da and Kiao Qaidam, China 38, 40, 41, 135, 279
- Qarhan Lake, thermal CaCl_2 springs, China 135, 270, 277, 279, 294, 295, 298
- Qinghai Lake's medium-lithium brine, China 2, 38, 135
- Quartz (silica) as a lithium by-product 83, 153, 171
- Quartz with CaCl_2 occlusions 333, 334
- Quebec, Quebec Lithium Corp., Canada 89, 90, 99, 165, 166, 203, 204
- Rain or snowfall at CaCl_2 lakes 287, 293, 306, 346, 347
- Rain or snowfall at high-lithium lakes 8, 21, 25, 29, 100, 102, 108, 113
- Raman spectra 333, 334, 430
- Rare earth minerals with CaCl_2 occlusions 333, 334
- Rare metals in lithium pegmatites 49–53
- Raymor Resources Co. 89, 179, 203
- Rechargeable batteries, lithium's use in 191–195
- Reclamation of alkali soils with CaCl_2 337
- Red Lake's CaCl_2 brine, Crimea, Russia 294, 295
- Red Sea's lithium, CaCl_2 thermal vent brine 38, 270, 272–277, 282, 283, 291–293, 297
- Refrigeration brine, CaCl_2 's use as a 374, 378
- Relative humidity of CaCl_2 solutions 422, 426, 433
- Relative humidity at CaCl_2 lakes 278, 306, 321, 346, 352, 422
- Relative humidity at high-lithium lakes 21, 100, 108, 113
- Reserves of lithium 2, 3, 10, 17, 25, 29, 36, 37, 61, 68, 75, 79, 81, 87, 89, 91, 92, 98
- Reykjanes's lithium, CaCl_2 thermal vents, Iceland 42, 270–272
- Rhodesia, Southern (Zimbabwe's) lithium pegmatites 2, 3, 52, 53, 56, 57, 61–68, 99, 155–157, 165, 204
- Richfield Formation's CaCl_2 brine, Michigan 253, 254
- Rift basins 37, 38, 42, 276, 280, 281, 291–293, 297, 298, 312, 313, 321, 322, 332
- Rio Grande de Lipez medium-lithium water, Bolivia 28
- Rio Salado's medium-lithium water, Chile 10

- Rio San Pedro's medium-lithium water, Chile 11, 13, 20
- River water's $\delta^6\text{Li}$, $\delta^7\text{Li}$ 46
- Roast-acid leach process for spodumene 161–164, 169–172
- Roast-limestone or lime leach process for lithium ores 157–160, 165, 167, 168, 171, 172
- Rocanville potash mine's CaCl_2 brine 245
- Rock leaching to produce CaCl_2 brines 238, 239, 251, 255, 264, 265–269, 289, 318, 321, 334
- Rock leaching to produce lithium brines 1, 3, 5, 10, 42, 43, 52
- Roof scaling, bolting 150, 151
- Room and pillar mining 150
- Rozna area's lithium pegmatites, Czechoslovakia 2, 97
- Rubican Mines, Namibia 169
- Rubidium in evaporating sea water, tachyhydrite 241, 321
- Rubidium in lithium pegmatites 60, 61, 75, 83, 87, 89, 92, 165, 168, 171
- Russian CaCl_2 groundwater 317, 318
- Russian lithium pegmatites 2, 3, 94–96, 203–205
- Russian oil or gas field CaCl_2 brines 266
- Russian potash deposits 242–244, 258, 259
- Rwanda's lithium pegmatites 91
- $\delta^{34}\text{S}$ 256, 280, 299, 306, 314, 329
- Salar de Aguas Calientes, Chile 19
- Salar de Ascoton, Chile 19
- Salar de Atacama, Chile 2, 3, 5, 9–21, 99, 108–131, 201
- Salar de Atacama's rivers and streams 11, 13
- Salar de Bellavista, Chile 19
- Salar de Carmen, Chile 109, 112, 114, 118, 126, 127
- Salar de Coipasa, Bolivia 11, 23, 27, 28
- Salar de Empexa, Bolivia 11, 23, 27, 28
- Salar de Hombre Muerto, Argentina 2, 3, 5, 11, 21, 22, 24–27, 99, 131–133, 144, 202, 203
- Salar de Huasco, Chile 19
- Salar de Lagunas, Chile 19
- Salar de Pintatos, Chile 19
- Salar de Pujsa, Chile 19
- Salar de San Martin, Chile 19
- Salar de Surrie, Chile 19, 21
- Salar de Uyuni, Bolivia 2, 3, 9, 11, 23, 27–29
- Safety considerations when handling CaCl_2 378, 379
- Sales price of CaCl_2 381, 382
- Sales price of lithium carbonate, ore concentrates 187
- Salta, Argentina 11, 24, 132
- Salt cake (sodium sulfate), lithium by-product 161–165, 170
- Salt crusts, Mono Lake's $\delta^7\text{Li}$ 46
- Salt produced from CaCl_2 brine 287, 338–342, 350, 351
- Salt porosity in high-lithium playas 13, 16, 25, 28, 29, 104, 108, 123, 131
- Salt gradient solar ponds 305
- Salting-out process, boric acid, lithium recovery 126, 145
- Salt Lake (within Bristol Lake), California 287, 346
- Salt mixtures with CaCl_2 for deicing 361–363
- Salton Sea, California, Mexico 2, 14, 37, 52, 141, 142, 274, 275, 279–281
- Salt Range, India, Pakistan 242, 257, 258
- San Antonio Chemicals, Texas 165
- San Joaquin, California oil or gas field CaCl_2 brines 260
- San Louis Province lithium pegmatites, Argentina 2, 91
- Saskatchewan, Canada potash deposits, CaCl_2 brine 45, 244–246, 251, 256, 345
- Saudi Arabia's Umm Er Radhuma CaCl_2 groundwater 318
- Scheelite minerals with CaCl_2 occlusions 334
- Schoenite from lithium brine 112, 124–126
- Sdom well, springs, Dead Sea, Israel 278, 279, 283, 312, 313
- Searles Lake, California 2, 3, 5, 31–33, 58, 59, 133, 165, 203

- Sea of Galilee thermal springs, Israel 278, 279, 283
- Sea water aerosol 309, 310
- Sea water evaporation, cooling 49, 238–241, 321
- Sea water's lithium content, $\delta^6\text{Li}$, $\delta^7\text{Li}$ 45, 46, 49, 144, 145, 270
- Sea water's reaction with rocks 238, 247, 263–269, 272, 273
- Sebka El Adhibate, Tunisia 47
- Secondary spodumene 50–52, 54, 55, 68
- Seepage trenches, pits for CaCl_2 brine 346–351
- SEM analytical method 334
- Separation Rapids pegmatites, Manitoba, Canada 57, 69, 85–89, 171
- Sergipe tachyhydrite deposit, Brazil 320–327
- Sergipite 237, 326
- Setting time of concrete with CaCl_2 addition 368, 369
- Siberian Platform's CaCl_2 groundwater, Russia 312, 313, 318
- Siberian Platform's dolomitization brine, Russia 259, 266
- Silica (quartz) as a lithium by-product 83, 153, 171
- Silica's solubility in CaCl_2 335
- Silver Peak, Nevada 2, 5, 6, 9, 10, 101, 103, 107, 201, 203
- Single effect evaporators for CaCl_2 brine 343, 353
- Smackover Formation oil or gas fields 2, 45, 47, 137, 142, 262, 266
- Smectite, effect of CaCl_2 , conversion to illite 255, 337
- Smectite, lithium 4, 97
- Sociedad Chilena del Litio Ltd. 112
- Sociedad Quimica y Minera de Chile (SQM) 118, 201
- Sodium hydroxide by-product, lithium lime-roast process 159, 160, 165, 171
- Sodium sulfate by-product, spodumene acid roast process 161, 162, 164, 170
- Soil, effect of CaCl_2 solutions on 318, 336, 337
- Soil stabilization or compaction with CaCl_2 365–368
- Solar evaporation of CaCl_2 brine 346–352
- Solar evaporation of lithium brine 5, 36, 37, 42, 43, 47, 48, 100–106, 108–126
- Solar ponds design and operation 100–102, 106, 113, 118, 120, 123
- Solar radiation 21, 100, 113
- Solonopole and Quixeramobim lithium pegmatites, Brazil 91
- Solubility data for CaCl_2 322, 382, 383, 385–407
- Solubility of lithium compounds 134–136, 143, 172, 202, 206, 212, 214–223
- Solubility (leaching), lithium from rocks 1, 3, 5, 10, 21, 42, 43, 52
- Solvent extraction of boron 115, 116, 126–130
- Solvent extraction of lithium 115, 116, 129, 130, 136–140
- Solvent loss during boron extraction 116
- Solvey process CaCl_2 357
- Solvey Process Co. 99, 157, 172
- South Africa's lithium pegmatites 2, 92
- South Dakota's lithium pegmatites 56, 82–85, 166–169, 204
- Southern and Nigel sectors, Bikita pegmatite 61, 62
- Southern High Plains' CaCl_2 groundwater, Texas 312, 314, 315
- Soviet Union's lithium pegmatites 2, 3, 94–96, 203–206
- Specific conductance, CaCl_2 solutions 410
- Specific gravity, CaCl_2 solutions 339, 383, 393, 408–411
- Specific heat, CaCl_2 solutions 339, 420–422
- Specific gravity, heat of lithium metal 202, 211, 212
- Spodumene characteristics 4, 50–56, 67, 78, 80, 167
- Spodumene concentrates, analyses, price 186, 187
- Spodumene concentration process 146–159, 163, 165–170, 203, 204
- α -Spodumene conversion to β -spodumene 50–52, 159, 160–167, 170, 171

- Spodumene deposits 53, 54, 59–83, 89–92, 94, 95, 97, 146–171
- Spodumene, primary 50–52, 54, 55, 59, 61, 75, 81, 83, 89–97
- Spodumene, conversion to Li_2CO_3 157–166, 169–171
- Spodumene, secondary (psuedomorphs after petalite) 50–52, 54, 55, 68, 78
- Spray evaporator–dryer–granulator for CaCl_2 343, 357
- Springs, inland thermal CaCl_2 , lithium 46, 270, 271, 276, 279
- Springs, Mono Lake fresh water's $\delta^7\text{Li}$ 46
- Sqi (spodumene, quartz, feldspar inter-growth) 67, 70, 78
- SQM S.A. 109, 118–131, 201, 203
- $^{87}\text{Sr}/^{86}\text{Sr}$ 253, 255, 261, 265
- Starobin potash deposit's dolomitization brine, Russia 242, 249
- Steam Boat Springs, Colorado, Nevada 14
- Stebnik potash deposit's dolomitization brine, Russia 242, 244
- Stecklenberg's CaCl_2 springs, Harz Mountains, Germany 257
- Stevensite, lithium 97
- Stewart lepidolite mine, San Diego county, California 82
- Stinking Spring, thermal CaCl_2 spring, Utah 271
- Stishovite's reaction with CaCl_2 336
- St. Peter Formation's CaCl_2 brine, Michigan Basin 253, 254
- Stratification in Lake Vanda 299, 301–304
- Strickland Quarry's lithium pegmatite, Connecticut 55
- Strip mining 90, 92, 106, 155, 156–159, 163, 166
- Strontium isotopic ratios 253, 255, 261, 265
- Sudeten Foreland's dolomitization brine, Czechoslovakia 257
- Sua Pan's high-lithium brine, Botswana 31, 45, 48
- Sulfate precipitation by CaCl_2 brines 113, 239, 249, 264, 265, 293, 321, 349
- Sulfate precipitation from lithium brines 107, 113, 116, 117, 127, 129, 161, 162, 164, 170
- Sulfate reducing bacteria 299, 306
- Sulfuric acid roast of lithium ores 161–164, 170
- Super-critical water, methane, CO_2 in forming lithium pegmatites 49–52, 83, 96
- Surface active agents, aid to CaCl_2 penetration 365, 368
- Surface tension, CaCl_2 solutions 427
- Surrie, Salar de, high-lithium hot springs, river 19, 21
- Sweden's Varutrask and Uto lithium pegmatites 92, 98
- Swimming pool conditioner, lithium hypochlorite 199
- Sylvania Formation's CaCl_2 brine, Michigan Basin 45, 249, 250, 252, 254, 255, 339, 340, 342
- Sylvinite from lithium brines 104, 110, 112–114, 118–124, 135
- Sylvinite deposits 320–331
- Syngenite formation to produce CaCl_2 336
- Synthetic CaCl_2 357
- Synthetic rubber, organo-lithium catalysts for 99, 197
- Tachyhydrite 237, 298, 299, 318–332
- Talc with CaCl_2 occlusions 334
- Tanco, Tantalum Mining Corporation of Canada Limited 68, 150, 152
- Tanco spodumene deposit, Manitoba, Canada 52, 55, 56, 68–78, 150–155, 202, 204
- Tannur CaCl_2 Springs, Lake Tiberias, Israel 278
- Tantalum, tantalite recovery from lithium pegmatites 53, 59, 61, 68, 75, 79, 83, 87, 89, 90, 92, 147–160
- Taylor Valley, Antarctica 299, 300, 311
- Temperature and pressure of depositing lithium pegmatites 50–53, 61, 83, 96
- Temperature, air at high-lithium playas 25, 100, 108

- Temperature rise in dissolving CaCl_2 358, 362, 427, 429, 430
 Terrestrial fossils near CaCl_2 deposits 281, 290, 291, 327
 Tetra Technologies Co. 350–352, 383
 Texas CaCl_2 groundwater 312, 314, 315, 318
 Texas oil or gas field CaCl_2 brines 45, 47, 260, 261, 263, 264
 Texas thermal CaCl_2 springs 279
 Thailand's tachyhydrite deposit 328–331
 Thermal CaCl_2 springs (inland) 270, 271, 273, 276–279, 282, 283, 291–293, 296, 298, 317, 321, 322
 Thermal gradients 50, 61, 305, 310, 311
 Thermal vents, deep-ocean medium-lithium brine 42, 44–46, 238, 266–273
 Thermodynamic properties of CaCl_2 solutions 430, 431, 427, 435
 Thor lithium pegmatite, Northwest Territories, Canada 2
 Tiberias CaCl_2 thermal springs, Israel 270, 271, 278, 281–283
 Tibet Lithium New Technology Co., Zabuye Lake, China 135
 Tibet's (Xizang Plateau's) high-lithium brines 38–43, 135
 Tidal pool dolomitization brine 247, 317
 Tin, cassiterite recovered from lithium pegmatites 53, 59, 61, 74, 87, 89–92, 155, 171
 Tin minerals with CaCl_2 occlusions 334
 Tin Mountain lithium pegmatite, South Dakota 83
 Tin-spodumene Belt, North Carolina 53, 75, 79–82
 Tire ballasting with CaCl_2 solutions 359, 372
 Togo Matsuzaki CaCl_2 hot springs, Japan 276
 Topaz in lithium pegmatites 66, 77, 92
 Toxicity of lithium compounds 179, 180
 Toxicology of CaCl_2 378, 379
 Tourmaline in lithium pegmatites 52, 60, 62, 70, 73, 149, 153, 154
 Trans–Pecos region's CaCl_2 groundwater, Texas 318
 Traverse Formation's CaCl_2 brine, Michigan Basin 252–254
 Tremolite's reaction with CaCl_2 336
 Trenches, seepage for CaCl_2 , Bristol Lake 346–351
 Triphylite 4, 83, 167
 Triple effect evaporators for CaCl_2 brine 339–341, 353
 Tritium, ^6Li conversion to 99, 200
 Tsurumaki Spa's CaCl_2 hot springs, Japan 276
 Tungusky Basin's dolomitization brine, Russia 259
 Turkmenia's oil or gas field CaCl_2 brines, thermal springs 266, 277
 Ulexite in high-lithium lakes or salars 18, 20, 21, 24, 25, 27, 28
 Ultraviolet light detection of eucryptite 157
 Underground mining of lithium pegmatites 92, 150, 151, 155, 165, 166, 168
 United States' CaCl_2 production capacity 383
 United States' CaCl_2 production, consumption and price 380, 382
 United States' lithium deposits 2, 5–10, 29–37, 75, 79–85, 101–108, 133–135, 137–142, 157–170
 United States' lithium production, consumption, exports and price 203–209
 Unzoned lithium pegmatites 50, 53–55, 75, 80, 81, 89, 94
 Urals potash deposit's dolomitization brine, Russia 259
 Uranium minerals with CaCl_2 occlusions 334
 Uses of CaCl_2 358–378
 Uses of lithium 82, 83, 99, 180–200
 Ushtagan (CaCl_2) Lake, Kazakhstan 294, 295, 298
 Utah Hot (CaCl_2) Spring 271
 Utah's CaCl_2 thermal springs 271, 276
 Utah's oil or gas field CaCl_2 brines 261
 Uto lithium pegmatite, Sweden 98

- Uzbekistan's Tien-Shan lithium pegmatites 97
- Vapor pressure of CaCl_2 solutions 420, 422–424, 426
- Vapor pressure of solid CaCl_2 426, 427
- Varutrak lithium pegmatite, Sweden 92, 94
- Vegetation's reaction to CaCl_2 363, 364
- Vents, ocean, with lithium, CaCl_2 brine 42, 44–46, 238, 266–273
- Ventura oil or gas field's CaCl_2 brines, California 260, 266, 321
- Vermiculite's reaction with CaCl_2 336
- Viscosity of CaCl_2 solutions 339, 410, 417–420
- Viscosity vs temperature, Salar de Atacama brine 130
- Volcanic rocks' $\delta^7\text{Li}$ 46
- Volga region's CaCl_2 groundwater, Russia 318
- Wairakei's geothermal brine, New Zealand 42, 44, 141
- Walker Lake, Nevada's $\delta^7\text{Li}$ 46
- Wall zones in lithium pegmatites 65, 66, 71
- Waste gas or other sources of CaCl_2 357
- Waste Gate Formation's CaCl_2 groundwater, Maryland 318
- Water absorbed by solid CaCl_2 372, 427, 432, 433
- Water content of depositing lithium pegmatites 49–52, 56, 57, 67, 78, 82–84, 89
- Water treating with CaCl_2 357, 376
- Wekusko Lake spodumene pegmatite, Manitoba, Canada 56, 169–171
- Wells for CaCl_2 brine 339, 342, 346, 348, 350
- Wells for high-lithium brine 102–106, 113, 118, 123, 131
- Western Caucasus' CaCl_2 groundwater, Russia 313, 318
- West Virginia's oil or gas field CaCl_2 brines 261
- White Picacho lithium pegmatite district, Arizona 84, 85
- Wilkinson Co., Mayville, Michigan 344, 383
- World map of some lithium deposits 2
- World production of lithium (by country) 205, 206
- Wright Valley, Southern Victoria Land, Antarctica 298, 300
- Xizang (Tibet's) high-lithium lakes, China 38–43, 135
- X-ray diffraction lines, antarcite 311, 331
- Yashan Batholith, China 92, 93
- Yellowknife and Thor lithium pegmatites, Northwest Territories, Canada 2, 90
- Yellowstone, Norris springs, Wyoming 14
- Yichun lepidolite granite, China 56, 92, 93
- Zabuye (or Zabuye Caka) high-lithium Lake, China 2, 38, 41–43, 135
- Zaire's lithium pegmatites 2, 3, 91
- Zavitaya area's lithium pegmatites, Russia 2, 94
- Zeichstein Potash Formation, dolomitization brine 45, 243, 256, 257, 277, 315, 332, 333
- Zimbabwe Craton's CaCl_2 groundwater 318
- Zimbabwe's (Southern Rhodesia's) lithium pegmatites 2, 3, 52, 53, 56, 57, 61–68, 155–157, 165, 204–206
- Zinc minerals with CaCl_2 occlusions 333, 334
- Zinnwaldite 4, 55, 58, 94
- Zoned lithium pegmatites 50, 52–55, 61, 65, 66, 68, 71–73, 82, 85, 90–97